

中国消毒学杂志

ZHONGGUO XIAODUXUE ZAZHI

月刊 1984 年 3 月创刊

第 42 卷第 2 期(总第 282 期)

2025 年 2 月 15 日出版

主管

联勤保障部队卫勤局

主办

解放军疾病预防控制中心
(100071 北京丰台东大街 20 号)

编辑出版

《中国消毒学杂志》编辑部
(100071 北京丰台东大街 20 号)
电话: 010 - 66948537
网址: <http://manu63.magtech.com.cn/zgxdx>
电子信箱: xd948537@126.com

主 编 周来新

编辑部主任 魏秋华

印 刷 北京盛通印刷股份有限公司

发 行

国内:北京报刊发行局
邮发代号 82 - 328
国外:中国国际图书贸易集团有限公司
发行代号 MO4174

定 价 每册 15 元,全年 180 元

CODEN ZXZAFO

中国标准连续出版物号

ISSN 1001 - 7658
CN 11 - 2672/R

2025 年版权归中国消毒学杂志所有

除非特别声明,本刊刊出的所有文章不代表本刊编委会的观点。
本刊如有印装质量问题,请向本刊编辑部调换。

目 次

实验研究

- 不同清洗方法对新型纺织品包装材料性能的影响 周慧芬, 范厉, 郑丽丽, 等 (81)
接触镜护理产品的中和剂筛选研究 卢昕, 高娜娜, 张正, 等 (84)
不锈钢载体型过氧化氢生物指示剂芽孢回收影响因素研究 薛琪, 戴佳晨, 周亚倩, 等 (87)
提高手术单、手术衣和洁净服生物负载回收率的新方法 李翠, 李秀婷, 刘兴翠, 等 (90)
新型过氧化氢传递窗及其灭菌效果验证 袁亚伟, 杨兴旺, 刘嘉, 等 (93)
医用防护产品灭菌过程定义、开发和维护中的无菌检测技术 张萌萌, 栾同青, 莫伟娜, 等 (97)

应用研究

- 全国 3 077 家医院消毒供应中心现状调查及分析 康洁, 张青, 李保华, 等 (100)
过氧化氢空气消毒不良反应调查研究 刘新庆, 刘皓 (105)
222 nm 紫外线消毒相关研究文献计量学分析 王鑫, 郑文静, 么鸿雁, 等 (108)
苏州市重点场所卫生状况调查分析 许圆, 杨波, 顾灯安, 等 (112)
消毒质量控制管理在消毒供应中心硬式腔镜清洗中的应用效果观察 韩风, 毛雅琴 (117)

医院消毒供应中心湿包质量管理体系过程指标认知情况调查	吕思航,王艳,陈秀丽,等	(120)
不同 pH 值碱性电解水对手术器械清洗效果研究	王海,薛英,郁叶萍,等	(125)
硬式内窥镜镜头清晰度检查辅助装置的制作及应用	陈秀丽,王大莉,陈灵均,等	(128)
苏州市口腔综合治疗台水路污染现状及影响因素分析	韩如慧,金美娟,杨波,等	(131)
吸唾管式牙刷联合氯己定口腔护理套装在重症监护病房机械通气患者中的应用效果观察	张耀丹,杜爱平,刘欢,等	(135)
深圳市龙岗区民营口腔医疗机构口腔综合治疗台水路污染状况调查	赖妙儿,廖俊蕾,谢丽婷,等	(139)
2019—2023 年天津市软式内镜再处理质量监测多因素研究	纪学悦,宋佳,龙莉,等	(143)
上海某医院耐碳青霉烯类肺炎克雷伯菌的临床特征和耐药性分析	朱秋丽,耿苗苗,卫菊,等	(146)
综 述		
口腔综合治疗台水路污染与控制研究进展	武佳琪,金瑞华	(151)
感染控制		
新型冠状病毒发热门诊环境与设备清洁和消毒管理的证据总结	吴美,王银云,程云,等	(155)
消毒实践		
广州市某区餐饮具消毒质量情况分析	胡壮荣,曾景娣,李奥迪,等	(159)
读者·作者·编者		
参考文献加注文献标识码的要求		(160)
《中国消毒学杂志》2025 年来稿简约		(封三)

CHINESE JOURNAL OF DISINFECTION

Monthly Established in March, 1984

Volume 42 Number 2 Feb. 15 , 2025

Responsible Institution

Medical Service Bureau of Chinese PLA
Joint Service Support Force

Sponsor

Chinese PLA Center for Disease
Control and Prevention
20 Dongdajie Street, Fengtai District,
Beijing 100071, China

Edition and Publication

Editorial Office,
Chinese Journal of Disinfection
20 Dongdajie Street, Fengtai District,
Beijing 100071, China
Tel: 010 - 66948537
<http://manu63.magtech.com.cn/zgwdx>
E-mail: xd948537@126.com

Editor-in-Chief

ZHOU Lai - xin

Director of Editorial Office

WEI Qiu - hua

Printing

Beijing Shengtong Printing Co., Ltd.

Overseas Distributor

China International Book Trading Group
Co., Ltd.
P. O. Box 399, Beijing, China
Code No. MO4174

Price

RMB 15.00, RMB 180.00 annually

CODEN ZXZAFO

CSSN

ISSN 1001 - 7658
CN 11 - 2672/R

Copyright® 2025 by Chinese Journal of Disinfection

All articles published represent the opinions of the authors, and do not reflect the official policy of the Editorial Committee unless this is clearly specified.

CONTENTS OF MAIN ARTICLES

Experimental study

- Impact of different cleaning methods on performance of novel textile packaging materials ZHOU Hui-fen, FAN Li, ZHENG Li-li, et al (81)
- Neutralizer selection of contact lens care products LU Xin, GAO Na-na, ZHANG Zheng, et al (84)
- Influencing factors of spore recovery of stainless steel carrier hydrogen peroxide biological indicators XUE Qi, DAI Jia-sheng, ZHOU Ya-qian, et al (87)
- A new method to improve the recovery rate of surgical drapes, gowns and clean air suits LI Cui, LI Xiu-ting, LIU Xing-cui, et al (90)
- New hydrogen peroxide transfer window and its sterilization effect verification YUAN Ya-wei, YANG Xing-wang, LIU Jia, et al (93)
- Sterility testing technology in the definition, development and maintenance of sterilization process of medical protection products ZHANG Meng-meng, LUAN Tong-qing, MO Wei-na, et al (97)

Application Research

- Investigation and analysis of current status of central sterile supply department from 3 077 hospitals in China KANG Jie, ZHANG Qing, LI Bao-hua, et al (100)
- Investigation on adverse reactions of hydrogen peroxide air disinfection LIU Xin-qing, LIU Hao (105)

A bibliometric analysis of researches on 222 nm ultraviolet disinfection

..... WANG Xin, ZHENG Wen-jing, YAO Hong-yan, et al (108)

Investigation and analysis of health condition in key places in Suzhou City

..... XU Yuan, YANG Bo, GU Deng-an, et al (112)

Observation of the application effect of disinfection quality control management in rigid laparoscopic cleaning in central sterile supply department

..... HAN Feng, MAO Ya-qin (117)

Investigation on the perception of process indicators of CSSD wet pack quality management system

..... LV Si-hang, WANG Yan, CHEN Xiu-li, et al (120)

Cleaning effects of alkaline electrolyzed water with different pH values on surgical instruments

..... WANG Hai, XUE Ying, YU Ye-ping, et al (125)

Manufacture and application of assistive device for lens clarity inspection of rigid endoscope

..... CHEN Xiu-li, WANG Da-li, CHEN Ling-jun, et al (128)

Investigation of contamination situation and its influence factors of dental unit waterlines in Suzhou

..... HAN Ru-hui, JIN Mei-juan, YANG Bo, et al (131)

Effect of suction toothbrush with chlorhexidine oral care kit in ICU mechanically ventilated patients

..... ZHANG Yao-dan, DU Ai-ping, LIU Huan, et al (135)

Investigation on the current situation of water pollution of dental unit waterlines contamination in private dental institutions in Longgang district of Shenzhen City

..... LAI Miao-er, LIAO Jun-lei, XIE Li-ting, et al (139)

Multi-factor study on quality monitoring of flexible endoscope reprocessing in Tianjin from 2019 to 2023

..... JI Xue-yue, SONG Jia, LONG Li, et al (143)

Clinical features and drug resistance analysis of carbapenem-resistant *Klebsiella pneumoniae* in a hospital in Shanghai

..... ZHU Qiu-li, GENG Miao-miao, WEI Ju, et al (146)