

中国消毒学杂志

ZHONGGUO XIAODUXUE ZAZHI

月刊 1984 年 3 月创刊

第 43 卷第 9 期(总第 301 期)

2026 年 9 月 15 日出版

主管

联勤保障部队后勤部

主办

解放军疾病预防控制中心
(100071 北京丰台东大街 20 号)

编辑出版

《中国消毒学杂志》编辑部
(100071 北京丰台东大街 20 号)
电话: 010-66948537
网址: <http://manu63.magtech.com.cn/zgxdx>
电子信箱: xd948537@126.com

主 编 周来新

编辑部主任 魏秋华

印 刷 北京中科印刷有限公司

发 行

国内: 北京报刊发行局
邮发代号 82-328
国外: 中国国际图书贸易集团有限公司
发行代号 M04174

定 价 每册 15 元, 全年 180 元

CODEN ZXZAFO

中国标准连续出版物号

ISSN 1001-7658
CN 11-2672/R

2026 年版权归中国消毒学杂志所有

除非特别声明, 本刊刊出的所有
文章不代表本刊编委会的观点。

本刊如有印装质量问题, 请向本
刊编辑部调换。

目 次

实验研究

脉冲驱动型 222 nm 紫外线源环境温度适应性及其快速消毒效果评价

..... 张帅, 周浩东, 刘柳, 等(641)

口腔诊室空气细菌污染特性及细菌种类分布调查

..... 黄燕燕, 张敏, 叶奎材, 等(646)

三种过氧乙酸内镜消毒剂在使用中的稳定性及残留量分析

..... 陈李, 王荣, 程文隽, 等(651)

基于新型监测技术的医疗机构室内空气病原微生物检出情况

及其传播风险分析

..... 严敏, 郭华, 胥建君, 等(655)

酸性氧化电位水对血液透析机表面消毒效果及相关性能研究

..... 沙静, 史静, 王庆溪(659)

应用研究

超声探头污染现状及消毒效果评价

..... 胡梅, 李雷, 李蓓, 等(663)

昆山市生活饮用水中消毒副产物水平调查

..... 刘洋, 陈梦瑶, 梁晓军, 等(667)

非黏液型与黏液型铜绿假单胞菌所致医院获得性肺炎的临床特征

及其耐药性分析

..... 卢红, 黄河清, 陈艺灵, 等(671)

某蒙医医院呼吸道感染患者送检标本病原菌检出情况及其耐药性分析

..... 帖妍玥, 刘莎, 关婧, 等(676)

2023—2025 年南阳市哨点医疗机构消毒质量监测分析

..... 钱国双,崔士磊,李峰,等(681)

某三甲医院医务人员手卫生监测及污染菌种类分布特征

..... 李欣颖,兰光,张阳,等(686)

上海市 28 家医院消毒供应中心压力蒸汽灭菌器首锅灭菌参数异常影响因素分析

..... 宋晓园,王世英,周泓,等(690)

武汉市 199 家医疗机构医院感染管理现状调查

..... 宋育,龚林,王一梅,等(694)

阿尔茨海默病住院患者再发性尿路感染的病原菌分布及相关风险因素分析

..... 蓝俊杰,刘奇,杜柳婷(698)

综述

医疗机构病房隔帘污染现状与抗菌织物研究进展

..... 田园青,张腾飞,刘畅,等(702)

压力蒸汽灭菌质量监测现状与管理研究进展

..... 耿军辉,詹朦,刘威,等(706)

信息交流

消毒供应中心高温灭菌员岗位胜任力评价指标的构建

..... 郑伟,江庆华,秦英,等(710)

西安市不同级别医院消毒供应中心消毒员配置现状及消毒灭菌知识知晓情况调查

..... 刘如如,王欣,付晗,等(715)

经验交流

护士主导型多部门协同模式在手术器械消毒供应管理中的应用

..... 张文晶,辛哲,施海飞(718)

读者·作者·编者

《中国消毒学杂志》2026 年来稿简约(封三)

CHINESE JOURNAL OF DISINFECTION

Monthly Established in March, 1984

Volume 43 Number 9 Sep. 15, 2026

Responsible Institution

Logistics Department of Chinese PLA
Joint Service Support Force

Sponsor

Chinese PLA Center for Disease
Control and Prevention
20 Dongdajie Street, Fengtai District,
Beijing 100071, China

Edition and Publication

Editorial Office,
Chinese Journal of Disinfection
20 Dongdajie Street, Fengtai District,
Beijing 100071, China
Tel: 010 - 66948537
<http://manu63.magtech.com.cn/zgxdx>
E-mail: xd948537@126.com

Editor-in-Chief

ZHOU Lai - xin

Director of Editorial Office

WEI Qiu - hua

Printing

Beijing Zhongke Printing Co., Ltd.

Overseas Distributor

China International Book Trading Group
Co., Ltd.
P. O. Box 399, Beijing, China
Code No. MO4174

Price

RMB 15.00, RMB 180.00 annually

CODEN ZXZAFO

CSSN

ISSN 1001 - 7658
CN 11 - 2672/R

Copyright® 2026 by Chinese Journal of Disinfection

All articles published represent the opinions of the
authors, and do not reflect the official policy of the
Editorial Committee unless this is clearly specified.

CONTENTS OF MAIN ARTICLES

Experimental Study

Evaluation of environmental temperature adaptability and rapid
disinfection effect of pulse-driven 222 nm far ultraviolet

light source

.....ZHANG Shuai, ZHOU Hao-dong, LIU Liu, *et al* (641)

Investigation on characteristics of airborne bacterial contamination
and bacterial community composition in dental clinics

..... HUANG Yan-yan, ZHANG Min, YE Kui-cai, *et al* (646)

Analysis of stability and residual amount of three peracetic acid-based
endoscopic disinfectants during practical application

..... CHEN Li, WANG Rong, CHENG Wen-jun, *et al* (651)

Detection of indoor air pathogenic microorganisms and analysis of
associated transmission risks in healthcare facilities using novel
monitoring technologies

..... YAN Min, GUO Hua, XU Jian-jun, *et al* (655)

Study on related properties of acidic electrolyzed oxidizing water for
surface disinfection of hemodialysis machines

..... SHA Jing, SHI Jing, WANG Qing-xi (659)

Application Research

Current status of ultrasound probe contamination and evaluation of
disinfection effect

..... HU Mei, LI Lei, LI Bei, *et al* (663)

- Investigation on the levels of disinfection by-products in drinking water in Kunshan
..... *LIU Yang, CHEN Meng-yao, LIANG Xiao-jun, et al* (667)
- Clinical characteristics and drug resistance analysis of hospital-acquired pneumonia caused by mucoid
and non-mucoid *Pseudomonas aeruginosa*
..... *LU Hong, HUANG He-qing, CHEN Yi-ling, et al* (671)
- Pathogen detection and drug resistance analysis of specimens from patients with respiratory tract
infections in a Mongolian medicine hospital
..... *TIE Yan-yue, LIU Sha, GUAN Jing, et al* (676)
- Analysis of disinfection quality monitoring in sentinel medical institutions in Nanyang City
from 2023 to 2025
..... *QIAN Guo-shuang, CUI Shi-lei, LI Feng, et al* (681)
- Hand hygiene monitoring and distribution characteristics of contaminant bacteria among medical staff
in a tertiary hospital
..... *LI Xin-ying, LAN Guang, ZHANG Yang, et al* (686)
- Analysis of influencing factors for abnormal sterilization parameters in the first cycle of pressure steam
sterilizer in CSSD of 28 hospitals in Shanghai
..... *SONG Xiao-yuan, WANG Shi-ying, ZHOU Hong, et al* (690)
- Investigation on the current situation of healthcare-associated infection management in 199 medical
institutions in Wuhan
..... *SONG Yu, GONG Lin, WANG Yi-mei, et al* (694)
- Analysis of pathogen distribution and related risk factors for recurrent urinary tract infections in hospitalized
patients with Alzheimer's disease
..... *LAN Jun-jie, LIU Qi, DU Liu-ping* (698)